Modular Ice Machine 700 kg

MAR 108

Scotsman° Ice Systems

Modular Ice Machine 700 kg

Item #:
Project:
Quantity:



FEATURES

- Scale ice machine, in split system" version; built-in unit. Storage bin not supplied, to be purchased separately.
- To be connected to condensing unit or central cooling system (low temperature).
- AISI304 Stainless steel evaporator and ice scraper blade. Redesigned evaporator compartment end-walls.
- Foodgrade ABS plastic water sump tray, easy remove for cleaning and sanitising.
- Electromechanical control panel. Electrical protections, rotation speed & reverse phase controls.
- Low- water sensor protection. Storage bin thermostatic ice level sensor. Drive motor / gear reducer with V-Belt drive.
- Stainless steel panels in scotch-brite finish, with rounded corners, easy to remove for maintenance.
- Supplied w/expansion valve, solenoid valve, pressure regulating valve (KVP), heat exchanger.

	CONDENSING	RECOMMENDED BINS					
	SYSTEM	Head	Bins		kg		
	SPLIT		•	UBH1100	553		
			•	UBH1600	812		
	REFRIGERANT	MAR 108	•	UBH2250	1068		
	GAS		•	SIS700	318 + 73		
MAR 108 Scale ice Residual water content 2% Thickness 2 mm			•	SIS1350	613 + 73 + 73		
	R404A R452A						
	VOLTAGE V/Hz/ph						
	230/60/1 400/50/3N	LEGEND: ✓: Perfect combination between ice maker and bin o: Ice chute cut-out performed upon installation CBTxxxxxxxxxx : need additional bin top					
CERTIFICATIONS	OP	OPERATING REQUIREMENTS					

CERTIFICATIONS



OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10	43
Water temperature	5	38
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10	+10

IMPORTANT NOTICE:

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free **App Scotsman Ice**Apple store
Google play
Windows store


www.scotsman-ice.it www.scotsman-ice.com

MAR 108

Scotsman[®] Ice Systems

Modular Ice Machine 700 kg

Item #:
Project:
Quantity:



UNIT DATA		SHIPPING DATA		
Size (W x D x H)	906 x 813 x 520 mm	Carton (W x D x H)	980 x 740 x 680 mm	
Net weight	95 kg	Weight	112 kg	All data refer to R404A refrigerant models

		5		3	9			1			
		h ice productior C Amb. / °C Wat	ce production kg Amb. / °C Water		Energy consumption (*)		Instant power	Compressor	Circuit wires	Max. fuse size	
		10°C/10°C	21°C/10°C	32°C/21°C	kWh/	kWh/	" I/h	w	W	No. x Ømm²	Α
Version	Voltage	2 mm	2 mm		100 kg	24h					
MAR 108 SPLIT	400/50/3N	700	0	0	0.7	4.2	24.6	170	4450	5 x 2.5	10
MAR 108 SPLIT	230/60/1	0	0	0	0.7	4.2	24.6	395	4450	3 x 2.5	10
Compressor:	(Te -24.0°C;	Tc +40.0°C)									

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions