MAR 129 Eco

Scotsman°

Modular	lce	Machine	1000	kg

Item #:
Project:
Quantity:



FEATURES

- Daily production up to 1000 Kg in 24 hr (ø 2 mm. ice thickness only).
- Scale ice machine, in "split system" version; evaporator only.
- Storage bin not supplied, to be purchased separately.
- To be connected to condensing unit or central cooling system (low temperature).
- AISI304 Stainless steel evaporator and ice scraper blade. Redesigned evaporator compartment end-walls.
- Foodgrade ABS plastic water sump tray, easy remove for cleaning and sanitising. Electromechanical control panel.
- Low- water sensor protection. Storage bin thermostatic ice level sensor. Drive motor / gear reducer with V-Belt drive.
- Supplied w/ electronic expansion valve, pressure regulating valve (KVR), liquid line safety valve 60bar, suction line safety valve 30bar.

		CONDENSING	RECOMMENDED BINS				
		SYSTEM	Head	Bins		kg	
		SPLIT		•	UBH1100	553	
				•	UBH1600	812	
		REFRIGERANT	MAR 129	•	UBH2250	1068	
		GAS		•	SIS700	318 + 73	
	MAR 129 Scale ice Residual water content 2% Thickness 2 mm			•	SIS1350	613 + 73 + 73	
		R744					
		VOLTAGE V/Hz/ph					
		400/50/3N	LEGEND: ✓: Perfect combination between ice maker and bin •: Ice chute cut-out performed upon installation CBTxxxxxxxxxx : need additional bin top				
CERTIFICATIONS		OP	OPERATING REQUIREMENTS				

CERTIFICATIONS

CE

Maximum Minimum 10 43 Air temperature 5 38 Water temperature 1 bar (14 psi) 5 bar (70 psi) Water pressure -10 +10 Electrical voltage

IMPORTANT NOTICE:

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals. Download our free App Scotsman Ice Apple store Google play DOWNLOAD 🕨 Windows store


www.scotsman-ice.it www.scotsman-ice.com

MAR 129 Eco/



Modular Ice Machine 1000 kg

Item #:
Project:
Quantity:



UNIT DATA		SHIPPING DATA							
Size (W x D x H) 906 x 813 x 520 mm		Carton (W x D x H) 980 x 740 x 680 mm							
Net weight 95 kg		Weight	112 kg	112 kg					
		24 h ice produc	3	Energy	Water	Instant	Compressor	Circuit wires	Max. fuse

_				-							
			24 h ice production kg °C Amb. / °C Water			Energy consumption (*)		Instant power	Compressor	Circuit wires	Max. fuse size
Version Voltage	V-14	10°C/10°C	21°C/10°C	32°C/21°C	kWh/		l/h	w	w	No. x Ømm²	
	voitage	2 mm	2 mm	2 mm	100 kg						Α
MAR 129 SPLIT	400/50/3N	1000	1000	760	0.6	4.5	32.1	200	5500	5 x 2.0	10
Compressor:	Compressor: (Te -25.0°C; Tc +10.0°C)			·							

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions