

Scotsman® Ice Systems

Modular Ice Machine 290 kg

Item #:
Project:
Quantity:



FEATURES

- Hermetic compressor. Stainless steel auger and freezing cylinder (evaporator). Equipped with an electronic control board.
- Ice breaker made in specially strengthened alloy, allowing for greater extrusion pressure to deliver a dryer-quality of nugget ice (92% dry).
- Long-lasting stainless steel roller-bearings.
- Double protection electronic rotation sensor and drive coupling on gear motor and gear reducer.
- Low- water sensor protection on refrigeration and gear motor system. Optical ice level sensor for machine shut down.
- Stainless steel side panels in scotch-brite finish, with rounded corners for enhanced ease of cleaning and aesthetics.
- Side panels are removable on all four sides to ease maintenance and after-sales service operations.
- PS plastic top cover.

MFN S 47 Nugget Small 1 g Ø 11 x H 13 mm	CONDENSING	RECOMMENDED BINS				
	SYSTEM	Head	Bins	kg		
	Air cooled	MFN 47	CBT22EFCD	SB193	129	
			CBT22EFCD	SB322	168	
			CBT30EFSD	SB393	181	
	REFRIGERANT GAS		CBT30EFSD	SB530	243	
			CBT42EFSD	SB550	252	
	R290		CBT48FMCD	SB948	406	
			CBT52FMCD	SB1025	478	
			•	UBH1100	553	
	VOLTAGE V/Hz/ph		•	SIS300	137 + 73	
			•	SIS700	318 + 73	
	230/50/1	LEGEND: ✓: Perfect combination between ice maker and bin •: Ice chute cut-out performed upon installation CBTxxxxxxxxxx : need additional bin top				

RTIFICATIONS



MinimumMaximumAir temperature1043Water temperature538Water pressure1 bar (14 psi)5 bar (70 psi)

OPERATING REQUIREMENTS

Electrical voltage -10% +10%

IMPORTANT NOTICE

lels and specifications a ge without notice.

spec sheet is meant for contract to see only.

ror technical documentation please refer to our service manuals.

Download our free **App Scotsman Ice**Apple store
Google play
Windows store


www.scotsman-ice.it www.scotsman-ice.com



Scotsman[®] Ice Systems

Modular Ice Machine 290 kg

Item #:
Project:
Quantity:



Net weight 78 kg			Weight 87 kg								
24 h ice produ °C Amb. / °C		h ice product C Amb. / °C V			ergy ption (*)	Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size	
Version	Voltage	10°C/10°C	21°C/10°C		kWh/ 100 kg	kWh/ 24h	l/h	w	W	No. x Ømm²	A
		kg	kg	kg							
MFN S47 AS	230/50/1	290	270	215	10.6	22.9	8.5	950	840	3 x 1.0	10

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions