





# Display - Upright, Grab & Go

Engineered for impact



# Contents

<b>Upright Fridges and Freezers   ActiveCore</b>	4
Key Features	6
ActiveCore Bottom Mount Summary	12
ActiveCore Bottom Mount Specs	14
ActiveCore Top Mount Summary	20
ActiveCore Top Mount Specs	22
ActiveCore Freezer Summary	28
ActiveCore Freezer Specs	30
<b>Upright Fridges   EziCore</b>	36
Key Features	38
EziCore Bottom Mount Summary	42
EziCore Bottom Mount Specs	44
EziCore Top Mount Summary	46
EziCore Top Mount Specs	48
<b>Grab &amp; Go   OpenDeck</b>	50
Key Features	52
OpenDeck Summary	58
OpenDeck Specs	60



**SKÖPE**

LINE 8477 mod. 0100  
SKÖPE®  
Softly Close





# ActiveCore™

Merchandise with ease



## ActiveCore™

### High performance merchandiser

There is a good reason ActiveCore is known as the most advanced glass door merchandiser on the market. ActiveCore technology achieves high performance and low power costs like no other. At the heart of any ActiveCore is its interchangeable cartridge, which isn't just notable for the streamlined maintenance it offers, but the way it leverages R290 Hydrocarbon natural refrigerant to achieve both incredible temperature consistency and cutting-edge power economy. ActiveCore fridges and freezers consistently hold temperature, even on 40°C days and with frequent door openings in busy venues. Perfectly chilled food and drink are key to maintaining product quality and driving repeat purchases. With superior build quality ActiveCore will continue to deliver on product sales long into the future.

### Powerful branding opportunities


We know how important merchandising is to driving sales. All ActiveCore products feature large storage capacity, frameless high glass doors, and a LED interior to provide maximum product visibility. To minimise condensation, ActiveCore fridges use double glazed Low-E glass, whilst our freezer doors use triple-glazed heated panels. Adjustable shelving easily accommodates different bottle sizes, can arrangements, and packaging formats. ActiveCore can also be customised to create an experience as unique as your brand. Tailor the finish to brand colours, add branded decals, customise internal lighting, add gravity matting in fridges, or baskets instead of shelves in freezers to maximise the opportunity to drive impulse sales.






## Digital connectivity

SKOPE-connect is a world-leading commercial refrigeration control and monitoring app that comes at no extra cost and works straight out of the box. SKOPE-connect represents an era of unprecedented control. The app monitors temperature and door openings. Historical data can be downloaded and used to minimise power costs, and gives labour-free temperature logging. The greater the number of assets, the more the potential savings. Door opening data provides valuable instore insights. Internal lighting can be automated for convenience and further energy efficiency gains. SKOPE-connect will also alert you if anything threatens internal temperature consistency so issues can be resolved quickly with no downtime or risk to product.





## A sustainable future

At SKOPE, sustainability is at the heart of our business, so we can continue to create value for our customers for generations to come. Our ActiveCore series has consistently remained ahead of the curve. The natural refrigerant we use in our ActiveCore fridges and freezers has a Global Warming Potential of virtually zero, with low energy consumption putting less pressure on the grid and your pocket. But the work doesn't stop here. Our team continue to research and trial new technologies to deliver any possible efficiency gains, no matter how small.



# The SKOPE Difference | Nothing performs like a SKOPE



## Energy Efficient by Design

ActiveCore's eco-friendly R290 refrigerant delivers incredible efficiency, with running costs halved compared to some competitors.



## Lower Impact Refrigeration

The Global Warming Potential of our natural refrigerant is virtually zero. Other refrigerants can be over 54,000 times worse for the environment.



## Precise Temperature Performance

ActiveCore fridges and freezers consistently hold temperature, even in ambient temperatures of up to 40°C, making it perfect for even the hottest environments.



## Unprecedented Control

The SKOPE-connect app monitors and controls temperature and energy consumption to maximise fridge performance and provide downloadable data of actual temperature history.



### Powerful Merchandising Impact

ActiveCore fridges and freezers feature bright, LED lighting that makes products stand out and attract attention. For even greater brand presence, you can customise with illuminated sign panels or branded decals.



### Quicker, Safer Servicing

Major servicing can close your business for hours with other brands. SKOPE's ActiveCore interchangeable refrigeration cartridge means the cartridge can be swapped out in 5-10 minutes so repairs can be made safely offsite.



### Typical SKOPE Toughness

Our powder coat finish on a galvanised steel body, along with rigorously tested components throughout, ensure SKOPE products work better for longer.



### Warranty Protection

SKOPE has always been synonymous with quality. That's why ActiveCore is backed by a 3 year warranty.

# ActiveCore Bottom Mount Fridge | Summary



Bottom Mount


Perfect for:

- Front of house locations enabling easy self-service
- Ensuring more products are in direct customer sight-lines
- In rooms with lower roof heights or have lower door height access

## Available Configurations

Our ActiveCore bottom mount range includes our value-packed standard BME models. If a customised variant is required, such as an alternate colour or passthrough, our SKB models offer incredible versatility.

- Doors – 1, 2, 3
- Door Options – double glazed Low-E (standard BME models), tropical heated glass<sup>1</sup> (customised SKB models) or solid powder coated and solid stainless steel also available - see SKOPE's storage range
- Exterior/Interior Colours – available in white/white, black/black or black/white in selected BME sizes and models. Also available in custom colours when choosing customised SKB models
- Refrigeration Unit – self-contained (standard BME models), remote (customised SKB models)
- Sign – unlit (standard BME N-A models), lit (standard BME N-AC or customised SKB models)



1 Door


2 Door

3 Door

Double Glazed Low-E Glass (BME models)

Tropical Heated Glass<sup>1</sup> (option for SKB models)

Solid Door (see Storage Brochure)



Low Energy Costs



Bright, LED Lighting



SKOPE-connect™

<sup>1</sup> Condensation can occur on glass door fridges in some hot or humid environments. To eliminate the risk of condensation choose a SKB model with tropical heated glass doors.

<sup>2</sup> Not available on BME300 or 400 models.



## Key Features

- ActiveCore removable refrigeration cartridge
- Natural R290 refrigerant
- Self-closing, double glazed, toughened safety glass doors
- Powder coated galvanised steel or stainless steel interior and exterior
- LED interior lighting
- Adjustable height wire shelves
- Built-in retractable locking tabs<sup>2</sup>
- 100mm high swivel castors (front lockable)
- SKOPE-connect app
- 3 year warranty

## Options


### Any model:

- Extra shelves and clips
- Gravity matting
- Merchandising strips
- Branded decals

### SKB models:

- Plinth mounting
- Barrel door locks
- Punched stainless steel shelves
- Internal shelf lighting
- Passthrough
- Glass viewing panel to sides
- Internal LED lighting (for solid door models)
- Retrofit hinge kit

# ActiveCore Bottom Mount Fridge | Specifications



1 Door Bottom Mount Fridge, Lit Sign

## Product Details

Model Number	BME300N-A
Door Finish	Frameless glass
Footprint (m <sup>2</sup> )	0.41
Shelves	4 x adjustable height and angle plastic wire shelves with optional gravity matting
Interior Lighting	1 x 24V LED strip
Sign	AC Model
Colour Options	Black/black
Refrigeration Unit	Self-contained R290


## Storage Capacity

Internal Volume (L)	277
---------------------	-----

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	1 to 4 (adjustable from 1 to 15 via SKOPE-connect)
EEl	TBC
Energy Consumption (kWh/24h)	1.49
Energy Rating	TBC
Current Draw (Amps)	1.8





1 Door Bottom Mount Fridge

BME400N-A

Frameless glass

0.41

5 x adjustable height and angle plastic wire shelves with optional gravity matting

1 x 24V LED strip

AC Model

Black/black

Self-contained R290

340

40


1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

TBC

1.73

TBC

1.8



1 Door Bottom Mount Fridge

BME600N-A

Frameless glass

0.55

4 x plastic wire shelves & 1 x stainless steel fixed base tray/shelf

1 x 1370mm, 15W LED

AC Model

White/white  
White/white or black/white (AC models)

Self-contained R290

584

40

1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

7.47

1.60


A

1.6

Download  
Spec Sheets  
on our website



# ActiveCore Bottom Mount Fridge | Specifications



## 1 Door Bottom Mount Customisable Fridge

### Product Details

Model Number	SKB600N-A
Door Finish	Frameless glass or solid
Footprint (m <sup>2</sup> )	0.63
Shelves	4 x plastic wire shelves & 1 x stainless steel fixed base tray/shelf
Interior Lighting	1 x 1370mm, 15W LED
Sign	AC Model
Colour Options	Stainless steel or any powder coat colour
Refrigeration Unit	Self-contained R290 (standard) or Remote (MTO)

### Storage Capacity


Internal Volume (L)	584
---------------------	-----

### Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	1 to 4 (adjustable from 1 to 15 via SKOPE-connect)
EEl	7.47
Energy Consumption (kWh/24h)	1.60 <sup>1</sup>
Energy Rating	A
Current Draw (Amps)	1.6 <sup>1</sup>



<sup>1</sup> Data is based off a standard glass door model.



2 Door Bottom Mount Customisable Fridge

SKB900N-A

Frameless glass or solid

0.86

4 x plastic wire shelves per door &  
1 x stainless steel fixed base tray/shelf per door

2 x 1370mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or  
Remote (MTO)

880

40


1 to 4 (adjustable from 1 to 15 via  
SKOPE-connect)

TBC

2.79

TBC

1.6



2 Door Bottom Mount Fridge

BME1200N-A

Frameless glass

1.08

4 x plastic wire shelves per door &  
1 x stainless steel fixed base tray/shelf per door

2 x 1370mm, 15W LED

AC Model

White/white or black/black  
White/white or black/white (AC models)

Self-contained R290

1079

40

1 to 4 (adjustable from 1 to 15 via  
SKOPE-connect)

10.08

2.55


B

1.7

Download  
Spec Sheets  
on our website



# ActiveCore Bottom Mount Fridge | Specifications




## 2 Door Bottom Mount Customisable Fridge

### Product Details

Model Number	SKB1200N-A
Door Finish	Frameless glass or solid
Footprint (m <sup>2</sup> )	1.08
Shelves	4 x plastic wire shelves per door & 1 x stainless steel fixed base tray/shelf per door
Interior Lighting	2 x 1370mm, 15W LED
Sign	AC Model
Colour Options	Stainless steel or any powder coat colour
Refrigeration Unit	Self-contained R290 (standard) or Remote (MTO)
<b>Storage Capacity</b>	
Internal Volume (L)	1079
<b>Performance</b>	
Max Ambient Temperature (°C)	40
Temperature Range (°C)	1 to 4 (adjustable from 1 to 15 via SKOPE-connect)
EEL	10.08
Energy Consumption (kWh/24h)	2.55 <sup>1</sup>
Energy Rating	B
Current Draw (Amps)	1.7 <sup>1</sup>



<sup>1</sup> Data is based off a standard glass door model.



**3 Door Bottom Mount Fridge**

BME1500N-A

Frameless glass

1.34

4 x plastic wire shelves per door &  
1 x stainless steel fixed base tray/shelf per door

3 x 1370mm, 15W LED

AC Model

White/white or black/black  
White/white or black/white (AC models)

Self-contained R290

1433

40


1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

TBC

4.99

TBC

3.4



**3 Door Bottom Mount Customisable Fridge**

SKB1500N-A

Frameless glass or solid

1.34

4 x plastic wire shelves per door &  
1 x stainless steel fixed base tray/shelf per door

3 x 1370mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

1433

40

1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

TBC

4.99

TBC

3.4

Download  
Spec Sheets  
on our website



# ActiveCore Top Mount Fridge | Summary



Top Mount

Perfect for:

- Maximising product facings relative to your footprint
- Locations where dust at ground level can quickly clog a bottom-mount unit
- Where you want heat and noise further from customers
- In most back of house locations, to avoid product spillage affecting refrigeration performance


## Available Configurations

Our ActiveCore top mount range includes our value-packed standard TME models. If a customised variant is required, such as an alternate colour or passthrough, our SKT models offer incredible versatility.

- Doors – 1, 2, 3
- Door Options – double glazed Low-E (standard TME models), tropical heated glass<sup>1</sup> (customised SKT models), solid powder coated and solid stainless steel also available - see SKOPE storage range
- Exterior/Interior Colours – available in white/white, black/black or black/white in selected TME sizes and models. Also available in custom colours when choosing customised SKB models
- Refrigeration Unit – self-contained (standard TME models) or remote (customised SKT models)
- Sign – unlit (standard TME N-A models), lit (standard TME N-AC or SKT models)



1 Door



2 Door



3 Door




Double Glazed Low-E Glass (TME models)



Tropical Heated Glass<sup>1</sup> (option for SKT models)



Solid Door (see Storage Brochure)



Low Energy Costs



Bright, LED Lighting



SKOPE-connect™

<sup>1</sup> Condensation can occur on glass door fridges in some hot or humid environments. To eliminate the risk of condensation choose a SKT model with tropical heated glass doors.



SKT500N-A



TME650N-A



TME1000N-A



SKT1000NS-AC



SKT1300N-A




SKT1300N-AC



SKT1500N-A



TME1500N-AC



## Key Features

- ActiveCore removable refrigeration cartridge
- Natural R290 refrigerant
- Self-closing, double glazed, toughened safety glass doors
- Powder coated galvanised steel (standard TME models) or stainless steel interior and exterior (customised SKT models)
- LED interior lighting
- Adjustable height wire shelves
- Built-in retractable locking tabs
- 100mm high swivel castors (front lockable)
- SKOPE-connect app
- 3 year warranty

## Options


### Any model:

- Extra shelves and clips
- Gravity matting
- Merchandising strips
- Branded decals
- High capacity shelf (>20kg)
- Retrofit hinge kit

### SKT models:

- Plinth mounting
- Barrel door locks
- Punched stainless steel shelves
- Internal shelf lighting
- Passthrough
- Glass viewing panel to sides
- Internal LED lighting (for solid door models)

# ActiveCore Top Mount Fridge | Specifications



1 Door Top Mount Customisable Fridge

## Product Details

Model Number	SKT500N-A
Door Finish	Frameless glass or solid
Footprint (m <sup>2</sup> )	0.43
Shelves	5 x plastic coated wire shelves
Interior Lighting	1 x 24V LED
Lit Sign	AC Model
Colour Options	Stainless steel or any powder coat colour
Refrigeration Unit	Self-contained R290 (standard) or Remote (MTO)

## Storage Capacity


Internal Volume (L)	410
---------------------	-----

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	1 to 4 (adjustable from 1 to 15 via SKOPE-connect)
EEl	TBC
Energy Consumption (kWh/24h)	1.75
Energy Rating	TBC
Current Draw (Amps)	2.0



<sup>1</sup> Data is based off a standard glass door model.



1 Door Top Mount Fridge

TME650N-A

Frameless glass

0.55

5 x plastic coated wire shelves

1 x 1400mm, 15W LED

AC Model

White/white

Self-contained R290

610

40


1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

8.46

1.60

A

1.6



1 Door Top Mount Customisable Fridge

SKT650N-A

Frameless glass or solid

0.55

5 x plastic coated wire shelves

1 x 1400mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

610

40

1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

8.46

1.60<sup>1</sup>


A

1.6<sup>1</sup>

Download  
Spec Sheets  
on our website



# ActiveCore Top Mount Fridge | Specifications



2 Door Top Mount Fridge

## Product Details

Model Number	TME1000N-A
Door Finish	Frameless glass
Footprint (m <sup>2</sup> )	0.84
Shelves	5 x plastic coated wire shelves
Interior Lighting	2 x 1400mm, 15W LED
Lit Sign	AC Model
Colour Options	White/white
Refrigeration Unit	Self-contained R290

## Storage Capacity


Internal Volume (L)	897
---------------------	-----

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	1 to 4 (adjustable from 1 to 15 via SKOPE-connect)
EEl	11.28
Energy Consumption (kWh/24h)	2.70
Energy Rating	B
Current Draw (Amps)	1.7



<sup>1</sup> Data is based off a standard glass door model.



2 Door Top Mount Customisable Fridge

SKT1000N-A

Frameless glass or solid

0.84

5 x plastic coated wire shelves per door

2 x 1400mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

897

40


1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

11.28

2.70<sup>1</sup>

B

1.7<sup>1</sup>



2 Door Top Mount Customisable Fridge

SKT1300N-A

Frameless glass or solid

1.10

5 x plastic coated wire shelves per door

2 x 1400mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

1310

40

1 to 4 (adjustable from 1 to 15 via SKOPE-connect)

TBC

4.21


TBC

3.0

Download  
Spec Sheets  
on our website



# ActiveCore Top Mount Fridge | Specifications



## Product Details

Model Number	TME1500N-A
Door Finish	Frameless glass
Footprint (m <sup>2</sup> )	1.27
Shelves	5 x plastic coated wire shelves per door
Interior Lighting	3 x 1400mm, 15W LED
Lit Sign	AC Model
Colour Options	White/white or black/black
Refrigeration Unit	Self-contained R290

## Storage Capacity


Internal Volume (L)	1497
---------------------	------

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	1 to 4 (adjustable from 1 to 15 via SKOPE-connect)
EEl	TBC
Energy Consumption (kWh/24h)	6.10
Energy Rating	TBC
Current Draw (Amps)	3.4



<sup>1</sup> Data is based off a standard glass door model.



**3 Door Top Mount Customisable Fridge**

SKT1500N-A

Frameless glass or solid

1.27

5 x plastic coated wire shelves per door

3 x 1400mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or  
Remote (MTO)

1497

40

1 to 4 (adjustable from 1 to 15 via  
SKOPE-connect)

TBC

6.10

TBC

3.4

Download  
Spec Sheets  
on our website



# ActiveCore Upright Freezer | Summary



Top Mount

Perfect for:

- Front of house locations enabling easy self-service
- In high-traffic customer sales areas
- In back of house locations for easy ingredient selection
- Where you want to maximise sales of high profit frozen products


## Available Configurations

Our ActiveCore freezer range includes our value-packed standard TMF models. If a customised variant is required, such as an alternate colour, our SKFT models offer incredible versatility.


- Doors – 1,2,3
- Door Options - triple glazed heated (standard TMF models), solid powder coated and solid stainless steel also available (customised SKFT models) - see Storage Brochure
- Exterior/Interior Colours – white/white (standard TMF models), black/white, black/black, stainless steel or custom colours (customised SKFT models)
- Refrigeration Unit – self-contained (standard TMF models), remote (customised SKFT models)
- Sign – unlit (standard TMF N-A models), lit (standard TMF N-AC or customised SKFT models)
- Ice Freezer (specialised climate, single heavy duty ice shelf)



1 Door



2 Door




3 Door



Double Glazed Low-E Glass  
(TMF models)



Solid Door  
(see Storage Brochure)



Low Energy Costs



Bright, LED Lighting



SKOPE-connect™



TMF600N-A



SKFT650N-AC



TMF1000N-A



SKFT1000N-A



SKFT1300N-AC



SKT1300N-AC



TMF1500N-A



SKT1500N-A

## Key Features

- ActiveCore removable freezer cartridge
- Natural R290 refrigerant
- Self-closing, triple glazed heated glass doors with Active Condensation Control
- Powder coated galvanised steel or stainless steel interior and exterior
- LED interior lighting
- Adjustable height wire shelves
- Built-in locking tabs
- 100mm high swivel castors (front lockable)
- SKOPE-connect app
- 3 year warranty

## Options


Any model:

- Extra shelves and clips
- High capacity shelf
- Merchandising strips
- Punched stainless steel shelves

SKFT models:

- Baskets (instead of shelves)
- Barrel or Hasp door locks
- Bumpers
- Internal LED lighting (for solid door models)

# ActiveCore Freezer | Specifications



1 Door Top Mount Freezer

## Product Details

Model Number	TMF650N-A
Door Finish	Glass or solid
Footprint (m <sup>2</sup> )	0.55
Shelves	5 x plastic coated wire shelves
Interior Lighting	1 x 1400mm, 15W LED
Lit Sign	AC Model
Colour Options	White/white
Refrigeration Unit	Self-contained R290


## Storage Capacity

Internal Volume (L)	610
---------------------	-----

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)
EEl	33.8
Energy Consumption (kWh/24h)	10.47
Energy Rating	C
Current Draw (Amps)	5.5





**1 Door Top Mount Customisable Freezer**

SKFT650N-A

Glass or solid

0.55

5 x plastic coated wire shelves

1 x 1400mm, 20W LED strip side light

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

557

40

-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)

33.8

10.47


C

5.5

Download  
Spec Sheets  
on our website



# ActiveCore Freezer | Specifications



2 Door Top Mount Freezer

## Product Details

Model Number	TMF1000N-A
Door Finish	Glass or solid
Footprint (m <sup>2</sup> )	0.84
Shelves	5 x plastic coated wire shelves
Interior Lighting	2 x 1400mm, 15W LED
Lit Sign	AC Model
Colour Options	White/white
Refrigeration Unit	Self-contained R290


## Storage Capacity

Internal Volume (L)	896
---------------------	-----

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)
EEl	40.42
Energy Consumption (kWh/24h)	16.17
Energy Rating	D
Current Draw (Amps)	5.5





**2 Door Top Mount Customisable Freezer**

SKFT1000N-A

Glass or solid

0.84

5 x plastic coated wire shelves per door

2 x 1400mm, 15W LED

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

896

40

-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)

40.42

16.17


D

5.5

Download  
Spec Sheets  
on our website



# ActiveCore Freezer | Specifications



2 Door Top Mount Customisable Freezer

## Product Details

Model Number	SKFT1300N-A
Door Finish	Glass or solid
Footprint (m <sup>2</sup> )	0.84
Shelves	5 x plastic coated wire shelves per door
Interior Lighting	2 x 1400mm, 20W LED strip side lights
Lit Sign	AC Model
Colour Options	Stainless steel or any powder coat colour
Refrigeration Unit	Self-contained R290 (standard) or Remote (MTO)


## Storage Capacity

Internal Volume (L)	1202
---------------------	------

## Performance

Max Ambient Temperature (°C)	40
Temperature Range (°C)	-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)
EEl	TBC
Energy Consumption (kWh/24h)	22.18
Energy Rating	TBC
Current Draw (Amps)	7.5





### 3 Door Top Mount Freezer

TMF1500N-A

Glass or solid

1.27

5 x plastic coated wire shelves per door

3 x 1400mm, 20W LED

AC Model

White/white or black/black

Self-contained R290

1396

40


-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)

TBC

31.12

TBC

11.5



### 3 Door Top Mount Customisable Freezer

SKFT1500N-A

Glass or solid

1.27

5 x plastic coated wire shelves per door

3 x 1400mm, 20W LED strip side lights

AC Model

Stainless steel or any powder coat colour

Self-contained R290 (standard) or Remote (MTO)

1396

40

-18 to -21 (adjustable from -12 to -26 via SKOPE-connect)

TBC

31.12

TBC

11.5

Download  
Spec Sheets  
on our website







# EziCore™

Value packed merchandising





## EziCore™


### Don't settle for less

SKOPE's EziCore series of bottom and top mount glass door merchandisers ticks every box for cost-conscious operators. You'll find SKOPE technology, build quality, and truly green performance. With low energy consumption and noise, and LED lights to make your products pop, EziCore will drive exceptional sales results.

### Value packed merchandising

EziCore caters to every budget without compromising on the design features and performance you expect from SKOPE. Featuring LED lighting integrated into the doors, EziCore merchandisers offer exceptional product illumination, ensuring products stand out and capture attention. The built-in lit sign panel allows for customised graphics, for effective branding and promotional opportunities.





## Renowned SKOPE build quality

Like all SKOPE products, we prioritise safety and functionality. EziCore is certified to M1 standards (-1°C - 5°C) so you can safely store food and dairy products as well as ensuring your drinks are super cold. Enjoy excellent thermal performance and clear visibility with double-glazed doors that prevent condensation. The powder-coated galvanized steel interior and exterior ensure durability, making EziCore fridges a reliable choice for the demands of a busy commercial kitchen or retail application.

# The SKOPE Difference | Nothing performs like a SKOPE



## Low Energy Consumption

Expertly designed natural refrigerant technology ensures minimised carbon footprint and better energy efficiency than other entry level glass door merchandisers.



## Lower Impact Refrigeration

The Global Warming Potential of our natural refrigerant is virtually zero. Other refrigerants can be over 54,000 times worse for the environment.



## Safe Storage

EziCore products comfortably hold temperature at under 5°C (M1) at an ambient temperature of 35°C so you can safely store both food and dairy as well as drinks.



## High Impact Lighting

Bright LED lighting achieves optimal product merchandising through strategic placement within the door frame.



#### Removable Cartridge Technology

Servicing is made easy and downtime is minimised with removable cartridge technology that is compatible across the whole EziCore series.



#### Quiet Running

SKOPE is synonymous with quiet front of house experiences and the EziCore series is no exception. You can expect quiet running from all EziCore models.



#### Typical SKOPE Toughness

A powder-coated finish to a galvanised steel body is typical of SKOPE'S no compromise specification. EziCore delivers reliability and toughness you expect from all SKOPE products.



#### SKOPE Reliability

SKOPE quality and reliability is backed up by a 3 year warranty across all EziCore products, on registration.

# EziCore Bottom Mount Fridge | Summary



Bottom Mount

Perfect for:


- Cafes, restaurants and shops that require a value packed model with entry level performance
- Bottom mount cabinets ensure more products are in direct customer sight lines
- Where you prefer maintenance is undertaken at ground level

## Available Configuration


- Doors – 1, 2
- Door Finish – double glazed with plastic frame and handle
- Exterior/Interior Colour Options – black/white
- Refrigeration Unit – self-contained R290
- Sign – lit sign panel



1 Door



2 Door



Entry Level Price



Bright, LED Lighting



Easy Servicing



BCE600N-AC



BCE1200N-AC

## Key Features


- Natural R290 refrigerant
- Self-closing, double glazed, toughened safety glass doors
- Powder coated galvanised steel body
- LED interior lighting within door assembly
- Adjustable height plastic coated wire shelves
- 100mm high swivel castors (front lockable)
- 3 year warranty

## Options

- Extra shelves and clips



# EziCore Bottom Mount Fridge | Specifications



1 Door Bottom Mount Fridge

## Product Details

Model Number	BCE600N
Door Finish	Plastic framed double-glazed glass
Footprint (m <sup>2</sup> )	0.59
Shelves	5 x full width shelves
Interior Lighting	2 x 1360mm, 6W LEDs
Sign	Lit
Colour	Black/white
Refrigeration Unit	Self-contained R290


## Storage Capacity

Internal Volume (L)	559
---------------------	-----

## Performance

Max Ambient Temperature (°C)	35
Temperature Range (°C)	0 to 5
EEl	TBC
Energy Consumption (kWh/24h)	3.04
Energy Rating	TBC
Current Draw (Amps)	3.0





**2 Door Bottom Mount Fridge**

BCE1200N

Plastic framed double-glazed glass

1.02

10 x half width shelves

4 x 1360mm, 6W LED

Lit

Black/white

Self-contained R290

1030

35

0 to 5

TBC

4.23

TBC

3.0

Download  
Spec Sheets  
on our website



# EziCore Top Mount Fridge | Summary



Top Mount

Perfect for:


- Cafes, restaurants and shops that require a value packed model with entry level performance
- Top mount models are best where dust at ground level can quickly clog a bottom mount unit
- Back of house locations, to avoid product spillage affecting refrigeration performance

## Available Configuration


- Doors – 1, 2
- Door Finish – double glazed with plastic frame and handle
- Exterior/Interior Colour Options – white/white
- Refrigeration Unit – self-contained R290
- Sign – lit sign panel



1 Door



2 Door



Entry Level Price



Bright LED Lighting



Easy Servicing



TCE650N-AC



TCE1000N-AC


## Key Features

- Natural R290 refrigerant
- Self-closing, double glazed, toughened safety glass doors
- Powder coated galvanised steel body
- LED interior lighting within door assembly
- Adjustable height plastic coated wire shelves
- 100mm high swivel castors (front lockable)
- 3 year warranty

## Options

- Extra shelves and clips

# EziCore Top Mount Fridge | Specifications



1 Door Top Mount Fridge

## Product Details

Model Number	TCE650N
Door Finish	Plastic framed double-glazed glass
Footprint (m <sup>2</sup> )	0.56
Shelves	4 x full width plastic coated wire shelves
Interior Lighting	2 x 1360mm, 6W LED
Sign	Lit
Colour	White/white
Refrigeration Unit	Self-contained R290


## Storage Capacity

Internal Volume (L)	557
---------------------	-----

## Performance

Max Ambient Temperature (°C)	35
Temperature Range (°C)	0 to 5
EEl	TBC
Energy Consumption (kWh/24h)	3.15
Energy Rating	TBC
Current Draw (Amps)	3.0





**2 Door Top Mount Fridge**

TCE1000N

Plastic framed double-glazed glass

0.85

4 x full width plastic coated wire shelves

4 x 1360mm, 6W LED

Lit

White/white

Self-contained R290

896

35

0 to 5

TBC

4.77

TBC

3.0

Download  
Spec Sheets  
on our website







# OpenDeck™

Maximise high margin impulse sales



## OpenDeck™

### Supercharge sales

Experience a game-changing solution for maximising high-margin impulse sales with the SKOPE OpenDeck series. Customers report a 45% increase in impulse sales after installing a SKOPE OpenDeck. The series goes beyond your typical Grab & Go fridge, revolutionising the way products are showcased. Double glazed side panels for wide angle viewing and bright LED lights fitted to every shelf ensure excellent product visibility. OpenDeck makes your food and drink pop. With tiltable and adjustable height shelves, you can set up your display to catch the customer's eye and watch the sales fly in.




## Optimise prime real estate

Designed for maximum impact, OpenDeck fridges offer huge storage capacity, making them the ideal solution for impulse retail. With space to store up to 425 cans with 85 facings (330ml) or 400 bottles and 80 facings (600ml), there is ample room to meet the demands of a busy establishment. Tailor the finish to brand colours, add branded decals and gravity matting to further maximise the opportunity to drive impulse sales.



## Keep it chilled


OpenDeck features SKOPE's unique and superior ChillGuard™ Technology. Leading airflow engineering distributes airflow to ensure all displayed products are always equally chilled and ready to serve, no matter where in the cabinet they are selected from. OpenDeck comfortably holds temperature under 5°C so food and dairy as well as drinks can be safely stored.



## A sustainable future

At SKOPE, sustainability is at the heart of everything we do. Our OpenDeck series has consistently remained ahead of the curve. The natural refrigerants we use in our OpenDeck fridges have a Global Warming Potential of virtually zero to not compromise our planet for future generations. But the work doesn't stop here, as we incrementally increase efficiency without compromising on performance.

# The SKOPE Difference | Nothing performs like a SKOPE



## Superior Storage Capacity

OpenDeck fridges can store up to 425 cans (330ml) or 400 bottles (600ml) and display 85 product facings for 330ml cans or 80 product facings for 600ml bottles.



## Perfectly Chilled Product

ChillGuard, SKOPE's world-leading cold air control technology blows a cool protective curtain over your products, ensuring your products are cold to serve.



## Safe Food Storage

OpenDeck fridges comfortably hold temperature at under 5°C so you can safely store both food and dairy as well as drinks.



## Built in Night Blinds

With integrated night blinds, your OpenDeck fridge can easily switch to energy saving mode at the end of service. Simply pull down the blind to switch off the lights and minimise energy use while still keeping product cold.



### Lower Impact Refrigeration

The Global Warming Potential of our natural refrigerant is virtually zero. Other refrigerants can be over 54,000 times worse for the environment.




### Easy Access

The bottom mounted, front accessible removable refrigeration cartridge and washable condenser filter with toolless access makes servicing a breeze.



### Typical SKOPE Toughness

Galvanised steel construction and the specification of quality components delivers SKOPE reliability and toughness.



### SKOPE Reliability

SKOPE quality and reliability backed by a 3 year warranty across all OpenDeck products. Additional warranty is able to be purchased.

# OpenDeck | Summary

Perfect for:

- Shops that want to maximise cold product sales at high traffic locations
- Cafes that want to drive cold product sales and minimise staff service costs
- Hotels and Buffets where self-service is key to design

## Available Configurations


- Exterior/Interior Colours – black/black, black/white, white/white, stainless steel (on select models), customised colours
- Refrigeration Unit – self-contained (standard), remote (made to order)
- Low or high lit sign for OD1100N model
- Customisable dimensions (select models)



Customised Decals



Gravity Feed Shelving



Natural Refrigerant

<sup>1</sup>OD260 does not feature natural refrigerant or SKOPE-connect™, and a night blind must be ordered separately for this model.

<sup>2</sup>OD360N is made to order. Minimum order quantity and longer lead times apply.

<sup>3</sup>OD400N, OD460N, OD1100N.

<sup>4</sup>OD260, OD400N, OD460N.

<sup>5</sup>This is a customised option and as such, is subject to a 1 year warranty only.



OD260<sup>1</sup>

OD360N<sup>2</sup>

OD400N

OD460N

OD720N

OD1100N

## Key Features

- Natural R290 refrigerant
- Side windows
- LED interior shelf up-lighting (except OD260)
- Night blind and energy saving mode (except OD260)
- Powder coated galvanised steel interior and exterior
- Adjustable height tiltable shelves
- SKOPE-connect app
- 3 year warranty

## Options

- Gravity feed shelving
- Customised decals
- Security grille<sup>3</sup>
- Ambient topper<sup>4</sup>
- Increase or decrease in height, width or depth<sup>5</sup>
- Doors (selected models)

# OpenDeck | Specifications



OpenDeck Fridge

## Product Details

Model Number	OD260
Footprint (m <sup>2</sup> )	0.48
Shelves	2 x adjustable shelves & 1 x fixed bottom shelf
Interior Lighting	2 x 9W LED
Colour	White or black
Refrigeration Unit	Self-contained R290
Sign	Unlit

## Storage Capacity

Internal Volume (L)	230
---------------------	-----


Product Facing

Product Loading

## Performance

Max Ambient Temperature (°C)	25
Temperature Range (°C)	1 to 5
EEl	TBC
Energy Consumption (kWh/24h)	8.30
Energy Rating	TBC
Current Draw (Amps)	3.2





**OpenDeck Fridge**

OD360N

0.66

2 x adjustable shelves & 1 x fixed bottom shelf

3 x 6W LED

White or black

Self-contained R290

Unlit

353

Without matting

36 x 330ml can/  
33 x 600ml bottle

180 x 330ml can/  
165 x 600ml bottle

25

1 to 5

TBC

6.91

TBC

3.5

With matting

30 x 330ml can/  
30 x 600ml bottle

150 x 330ml can/  
150 x 600ml bottle

25


1 to 5

TBC

6.68

TBC

3.5



**OpenDeck Fridge**

OD400N

0.6

2 x adjustable angled shelves & 1 x fixed angled bottom shelf

3 x 6W LED

White, black or stainless steel

Self-contained R290

Unlit

314

Without matting

36 x 330ml can/  
33 x 600ml bottle

156 x 330ml can/  
132 x 600ml bottle

25

1 to 5

TBC

6.68

TBC

3.5

With matting

30 x 330ml can/  
30 x 600ml bottle

130 x 330ml can/  
120 x 600ml bottle

25

1 to 5

TBC

6.68

TBC

3.5

Download  
Spec Sheets  
on our website



# OpenDeck | Specifications



OpenDeck Fridge

## Product Details

Model Number	OD460N
Footprint (m <sup>2</sup> )	0.8
Shelves	2 x adjustable shelves & 1 x fixed bottom shelf
Interior Lighting	3 x 7.5W LED
Colour	White, black or stainless steel
Refrigeration Unit	Self-contained R290
Sign	Unlit

## Storage Capacity


Internal Volume (L)	403	
	<i>Without matting</i>	<i>With matting</i>
Product Facing	48 x 330ml can/ 30 x 600ml bottle	42 x 330ml can/ 28 x 600ml bottle
Product Loading	208 x 330ml can/ 120 x 600ml bottle	182 x 330ml can/ 112 x 600ml bottle

## Performance

Max Ambient Temperature (°C)	25
Temperature Range (°C)	1 to 5
EEl	TBC
Energy Consumption (kWh/24h)	7.50
Energy Rating	TBC
Current Draw (Amps)	3.5



<sup>1</sup> This model is available in Australia only. <sup>2</sup> Also available with a high sign (OD1100N.HS.FM), add 185mm to height.



OpenDeck Fridge

OD720N<sup>1</sup>

1.07

3 x adjustable shelves & 1 x fixed bottom shelf


4 x 7.5W LED

White, black or stainless steel

Self-contained R290

Unlit

798



OpenDeck Fridge

OD1100N.LS.FM<sup>2</sup>

1.06

4 x adjustable shelves & 1 x fixed bottom shelf

5 x 7.5W LED (downlighting)

White or black

Self-contained R290

Lit

1071

Without matting

68 x 330ml can/  
64 x 600ml bottle

340 x 330ml can/  
320 x 600ml bottle

25

1 to 5

TBC

16.15

TBC

4.8

With matting

64 x 330ml can/  
60 x 600ml bottle

320 x 330ml can/  
300 x 600ml bottle

25

1 to 5

TBC

18.34

TBC

5.8

Without matting

85 x 330ml can/  
80 x 600ml bottle

442 x 330ml can/  
400 x 600ml bottle

With matting

80 x 330ml can/  
75 x 600ml bottle

400 x 330ml can/  
375 x 600ml bottle

Download  
Spec Sheets  
on our website



Exclusively distributed in the United Kingdom by:



Hubbard Systems (A division of HTG Trading Ltd)  
106 Claydon Business Park, Great Blakenham, Ipswich, IP6 0NL  
sales@hubbardsystems.co.uk  
01473 350046  
www.hubbardsystems.co.uk

SKOPE  
www.skope.com

Information contained in this document has been checked for accuracy at the time of production. SKOPE reserves the right to alter any detail without notice. Conditions are subject to change without notice. The photographs used in this publication are for illustrative purposes only. Minor design changes may result in slight variations between the product illustrated and the final delivered product.

Copyright © SKOPE Industries Limited. All rights reserved. SKOPE Industries Ltd reserves the right to alter specifications without notice. Visit [www.skope.com](http://www.skope.com) for the most recent specification documents.